

Tue Jul 20 09:41:58 CDT 2021

Serial: 20035787

Firmware: 6.3

Patchlevel: 65

---- start ----

```
Info    0:00  Motor Switch operated to OFF
Info    0:01  Raised Vibration Level
OK      0:11  Good Health Message (10sec)
OK      0:21  Good Health Message (10sec)
OK      0:31  Good Health Message (10sec)
OK      0:41  Good Health Message (10sec)
OK      0:51  Good Health Message (10sec)
OK      1:01  Good Health Message (10sec)
OK      1:11  Good Health Message (10sec)
OK      1:21  Good Health Message (10sec)

OK      0:00  Reset Reason: Power On

Info    0:00  Bank 2 Loaded

Info    0:00  Motor Switch operated to OFF

Info    0:00  Motor Switch operated to Idle bailout
Info    0:01  Bank 1 Loaded
Info    0:05  Calibration Finished
OK      0:15  Good Health Message (10sec)
OK      0:25  Good Health Message (10sec)
OK      0:35  Good Health Message (10sec)
OK      0:45  Good Health Message (10sec)
OK      0:55  Good Health Message (10sec)
OK      1:05  Good Health Message (10sec)
Info    1:14  Motor Switch operated to Idle bailout
Info    1:20  Governor Mode Pitch
Info    1:20  Motor Switch operated to ON
OK      1:30  Good Health Message (10sec)
Info    1:37  Raised Vibration Level
OK      1:47  Good Health Message (10sec)
OK      1:57  Good Health Message (10sec)
OK      2:07  Good Health Message (10sec)
OK      2:17  Good Health Message (10sec)
OK      2:27  Good Health Message (10sec)
OK      2:37  Good Health Message (10sec)
OK      2:47  Good Health Message (10sec)
OK      2:57  Good Health Message (10sec)
OK      3:07  Good Health Message (10sec)
OK      3:17  Good Health Message (10sec)
Info    3:19  Bank 2 Loaded
OK      3:29  Good Health Message (10sec)
OK      3:39  Good Health Message (10sec)
```

Info 3:45 Raised Vibration Level
OK 3:55 Good Health Message (10sec)
Info 4:04 Raised Vibration Level
Info 4:13 Raised Vibration Level
Info 4:22 Bank 3 Loaded
Info 4:31 Raised Vibration Level
Info 4:40 Raised Vibration Level
Info 4:50 Raised Vibration Level
Info 4:56 Bank 2 Loaded
Info 4:59 Raised Vibration Level
Info 5:08 Raised Vibration Level
Info 5:17 Raised Vibration Level
OK 5:27 Good Health Message (10sec)
Info 5:36 Governor Mode Stop
Info 5:36 Motor Switch operated to Idle bailout
Info 5:43 Governor OFF
Info 5:43 Motor Switch operated to OFF
Critical 5:45 Extreme Vibration Level
OK 5:55 Good Health Message (10sec)
OK 6:05 Good Health Message (10sec)
OK 6:15 Good Health Message (10sec)
OK 6:25 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to Idle bailout
Info 0:01 Bank 1 Loaded
Info 0:01 Motor Switch operated to OFF
Info 0:06 Calibration Finished
OK 0:16 Good Health Message (10sec)
OK 0:26 Good Health Message (10sec)
OK 0:36 Good Health Message (10sec)
OK 0:46 Good Health Message (10sec)
OK 0:56 Good Health Message (10sec)
Info 0:57 Motor Switch operated to Idle bailout
Info 1:03 Motor Switch operated to OFF
OK 1:13 Good Health Message (10sec)
OK 1:23 Good Health Message (10sec)
OK 1:33 Good Health Message (10sec)
OK 1:43 Good Health Message (10sec)
Info 1:44 Governor Mode Pitch
Info 1:44 Motor Switch operated to ON
Info 1:46 Governor OFF
Info 1:46 Motor Switch operated to OFF
Info 1:47 Raised Vibration Level
OK 1:57 Good Health Message (10sec)
OK 2:07 Good Health Message (10sec)
Info 2:09 Governor Mode Pitch

Info	2:09	Motor Switch operated to ON
OK	2:19	Good Health Message (10sec)
OK	2:29	Good Health Message (10sec)
OK	2:39	Good Health Message (10sec)
Info	2:41	Bank 2 Loaded
OK	2:51	Good Health Message (10sec)
Info	3:00	Raised Vibration Level
OK	3:10	Good Health Message (10sec)
OK	3:20	Good Health Message (10sec)
OK	3:30	Good Health Message (10sec)
OK	3:40	Good Health Message (10sec)
OK	3:50	Good Health Message (10sec)
OK	4:00	Good Health Message (10sec)
OK	4:10	Good Health Message (10sec)
OK	4:20	Good Health Message (10sec)
OK	4:30	Good Health Message (10sec)
Info	4:32	Raised Vibration Level
OK	4:42	Good Health Message (10sec)
Info	4:51	Raised Vibration Level
Info	5:00	Raised Vibration Level
Info	5:09	Raised Vibration Level
Warn	5:18	High Vibration Level
Info	5:22	Bank 1 Loaded
OK	5:32	Good Health Message (10sec)
OK	5:42	Good Health Message (10sec)
Info	5:43	Governor OFF
Info	5:43	Governor Mode Stop
Info	5:43	Motor Switch operated to OFF
Info	5:43	Motor Switch operated to Idle bailout
Info	5:46	Raised Vibration Level
OK	5:56	Good Health Message (10sec)
OK	6:06	Good Health Message (10sec)
OK	6:16	Good Health Message (10sec)
OK	6:26	Good Health Message (10sec)
OK	6:36	Good Health Message (10sec)
OK	6:46	Good Health Message (10sec)
OK	6:56	Good Health Message (10sec)
OK	7:06	Good Health Message (10sec)
OK	7:16	Good Health Message (10sec)
OK	7:26	Good Health Message (10sec)
OK	7:36	Good Health Message (10sec)
OK	7:46	Good Health Message (10sec)
OK	7:56	Good Health Message (10sec)
OK	8:06	Good Health Message (10sec)
OK	8:16	Good Health Message (10sec)
OK	8:26	Good Health Message (10sec)
OK	8:36	Good Health Message (10sec)
OK	8:46	Good Health Message (10sec)
OK	8:56	Good Health Message (10sec)
OK	9:06	Good Health Message (10sec)

OK	9:16	Good Health Message (10sec)
OK	9:26	Good Health Message (10sec)
OK	9:36	Good Health Message (10sec)
OK	9:46	Good Health Message (10sec)
OK	9:56	Good Health Message (10sec)
OK	10:06	Good Health Message (10sec)
OK	10:16	Good Health Message (10sec)
Info	10:25	Bank 2 Loaded
Info	10:26	Bank 1 Loaded
OK	10:36	Good Health Message (10sec)
OK	10:46	Good Health Message (10sec)
OK	10:56	Good Health Message (10sec)
OK	11:06	Good Health Message (10sec)
OK	11:16	Good Health Message (10sec)
OK	11:26	Good Health Message (10sec)
OK	11:36	Good Health Message (10sec)
OK	11:46	Good Health Message (10sec)
OK	11:56	Good Health Message (10sec)
OK	12:06	Good Health Message (10sec)
OK	12:16	Good Health Message (10sec)
OK	12:26	Good Health Message (10sec)
OK	12:36	Good Health Message (10sec)
OK	12:46	Good Health Message (10sec)
OK	12:56	Good Health Message (10sec)
OK	13:06	Good Health Message (10sec)
OK	13:16	Good Health Message (10sec)
OK	13:26	Good Health Message (10sec)
OK	13:36	Good Health Message (10sec)
OK	13:46	Good Health Message (10sec)
OK	13:56	Good Health Message (10sec)
OK	0:00	Reset Reason: Power On
Info	0:00	Bank 2 Loaded
Info	0:00	Motor Switch operated to OFF
Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Bank 1 Loaded
Info	0:05	Calibration Finished
OK	0:15	Good Health Message (10sec)
OK	0:25	Good Health Message (10sec)
OK	0:35	Good Health Message (10sec)
OK	0:45	Good Health Message (10sec)
Info	0:49	Motor Switch operated to Idle bailout
Info	0:55	Governor Mode Pitch
Info	0:55	Motor Switch operated to ON
OK	1:05	Good Health Message (10sec)
Info	1:15	Bank 2 Loaded
OK	1:25	Good Health Message (10sec)

OK 1:35 Good Health Message (10sec)
OK 1:45 Good Health Message (10sec)
OK 1:55 Good Health Message (10sec)
OK 2:05 Good Health Message (10sec)
OK 2:15 Good Health Message (10sec)
Info 2:23 Raised Vibration Level
OK 2:33 Good Health Message (10sec)
OK 2:43 Good Health Message (10sec)
Info 2:47 Rescue has been activated
Info 2:48 Rescue has been completed
Info 2:50 Raised Vibration Level
Info 2:59 Raised Vibration Level
Info 2:59 Rescue has been activated
Info 3:00 Rescue has been completed
Warn 3:00 Rescue has been oversteered by the Pilot
Info 3:09 Raised Vibration Level
Info 3:18 Raised Vibration Level
Info 3:27 Raised Vibration Level
OK 3:37 Good Health Message (10sec)
OK 3:47 Good Health Message (10sec)
OK 3:57 Good Health Message (10sec)
Info 4:04 Raised Vibration Level
OK 4:14 Good Health Message (10sec)
OK 4:24 Good Health Message (10sec)
OK 4:34 Good Health Message (10sec)
Info 4:42 Governor OFF
Info 4:42 Governor Mode Stop
Info 4:42 Motor Switch operated to OFF
Info 4:42 Motor Switch operated to Idle bailout
Info 4:50 Raised Vibration Level
OK 5:00 Good Health Message (10sec)
OK 5:10 Good Health Message (10sec)
OK 5:20 Good Health Message (10sec)
OK 5:30 Good Health Message (10sec)
OK 5:40 Good Health Message (10sec)
Info 5:41 Governor Mode Pitch
Info 5:41 Motor Switch operated to ON
Info 5:43 Governor Mode Stop
Info 5:43 Motor Switch operated to Idle bailout
Info 5:44 Governor OFF
Info 5:44 Motor Switch operated to OFF
Info 5:47 Governor Mode Pitch
Info 5:47 Motor Switch operated to Idle bailout
Info 5:47 Motor Switch operated to ON
Info 5:51 Governor OFF
Info 5:51 Governor Mode Stop
Info 5:51 Motor Switch operated to OFF
Info 5:51 Motor Switch operated to Idle bailout
OK 6:01 Good Health Message (10sec)
Info 6:06 Governor Mode Pitch

Info 6:06 Motor Switch operated to ON
Info 6:08 Governor OFF
Info 6:08 Governor Mode Stop
Info 6:08 Motor Switch operated to OFF
Info 6:08 Motor Switch operated to Idle bailout
OK 6:18 Good Health Message (10sec)
Info 6:22 Governor Mode Pitch
Info 6:22 Motor Switch operated to ON
Info 6:24 Governor Mode Stop
Info 6:24 Motor Switch operated to Idle bailout
Info 6:27 Governor OFF
Info 6:27 Motor Switch operated to OFF
OK 6:37 Good Health Message (10sec)
Info 6:44 Governor Mode Pitch
Info 6:44 Motor Switch operated to ON
Info 6:47 Governor OFF
Info 6:47 Governor Mode Stop
Info 6:47 Motor Switch operated to OFF
Info 6:47 Motor Switch operated to Idle bailout
Info 6:55 Governor Mode Pitch
Info 6:55 Motor Switch operated to ON
Info 6:57 Governor Mode Stop
Info 6:57 Motor Switch operated to Idle bailout
Info 6:58 Governor Mode Pitch
Info 6:58 Motor Switch operated to ON
Info 6:59 Governor OFF
Info 6:59 Motor Switch operated to OFF
OK 7:09 Good Health Message (10sec)
Info 7:13 Governor Mode Pitch
Info 7:13 Motor Switch operated to ON
Info 7:15 Governor OFF
Info 7:15 Governor Mode Stop
Info 7:15 Motor Switch operated to OFF
Info 7:15 Motor Switch operated to Idle bailout
OK 7:25 Good Health Message (10sec)
OK 7:35 Good Health Message (10sec)
OK 7:45 Good Health Message (10sec)
OK 7:55 Good Health Message (10sec)
OK 8:05 Good Health Message (10sec)
OK 8:15 Good Health Message (10sec)
OK 8:25 Good Health Message (10sec)
OK 8:35 Good Health Message (10sec)
OK 8:45 Good Health Message (10sec)
OK 8:55 Good Health Message (10sec)
OK 9:05 Good Health Message (10sec)
OK 9:15 Good Health Message (10sec)
OK 9:25 Good Health Message (10sec)
OK 9:35 Good Health Message (10sec)
OK 9:45 Good Health Message (10sec)
Info 9:52 Bank 1 Loaded

OK 10:02 Good Health Message (10sec)
OK 10:12 Good Health Message (10sec)
OK 10:22 Good Health Message (10sec)
OK 10:32 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to OFF

Info 0:00 Motor Switch operated to Idle bailout
Info 0:01 Bank 1 Loaded
Info 0:05 Calibration Finished
OK 0:15 Good Health Message (10sec)
OK 0:25 Good Health Message (10sec)
OK 0:35 Good Health Message (10sec)
OK 0:45 Good Health Message (10sec)
OK 0:55 Good Health Message (10sec)
OK 1:05 Good Health Message (10sec)
OK 1:15 Good Health Message (10sec)
OK 1:25 Good Health Message (10sec)
OK 1:35 Good Health Message (10sec)
OK 1:45 Good Health Message (10sec)
OK 1:55 Good Health Message (10sec)
Info 2:03 Motor Switch operated to Idle bailout
Info 2:06 Governor Mode Pitch
Info 2:06 Motor Switch operated to ON
Info 2:14 Raised Vibration Level
Info 2:20 Bank 2 Loaded
OK 2:30 Good Health Message (10sec)
Info 2:32 Raised Vibration Level
OK 2:42 Good Health Message (10sec)
Info 2:50 Raised Vibration Level
Info 3:00 Raised Vibration Level
Info 3:09 Raised Vibration Level
Info 3:18 Raised Vibration Level
Info 3:21 Rescue has been activated
Info 3:22 Rescue has been completed
Info 3:23 Bank 1 Loaded
Info 3:24 Governor OFF
Info 3:24 Motor Switch operated to OFF
Warn 3:27 High Vibration Level
Warn 3:28 RC Input Packet lost
Critical 3:28 Aileron Sensor Value out of Range
Critical 3:28 Elevator Sensor Value out of Range
Warn 3:29 RC Input Packet lost
Warn 3:30 RC Input Packet lost
Critical 3:30 RC Failsafe has been activated
Warn 3:31 RC Input Packet lost

Warn 3:32 RC Input Packet lost
Critical 3:32 RC Failsafe has been activated
Critical 3:36 Extreme Vibration Level
Warn 3:41 RC Input Packet lost
Warn 3:42 RC Input Packet lost
Warn 3:43 RC Input Packet lost
Critical 3:43 RC Failsafe has been activated
OK 3:53 Good Health Message (10sec)
Warn 3:59 RC Input Packet lost
Warn 4:00 RC Input Packet lost
Warn 4:01 RC Input Packet lost
Warn 4:02 RC Input Packet lost
Warn 4:03 RC Input Packet lost
Warn 4:05 RC Input Packet lost
Critical 4:05 RC Failsafe has been activated
Warn 4:06 RC Input Packet lost
Warn 4:07 RC Input Packet lost
Warn 4:09 RC Input Packet lost
Warn 4:10 RC Input Packet lost
OK 4:20 Good Health Message (10sec)
OK 4:30 Good Health Message (10sec)
OK 4:40 Good Health Message (10sec)
OK 4:50 Good Health Message (10sec)
OK 5:00 Good Health Message (10sec)
OK 5:10 Good Health Message (10sec)
OK 5:20 Good Health Message (10sec)
OK 5:30 Good Health Message (10sec)
OK 5:40 Good Health Message (10sec)
OK 5:50 Good Health Message (10sec)
OK 6:00 Good Health Message (10sec)
OK 6:10 Good Health Message (10sec)
OK 6:20 Good Health Message (10sec)
OK 6:30 Good Health Message (10sec)
OK 6:40 Good Health Message (10sec)
OK 6:50 Good Health Message (10sec)
OK 7:00 Good Health Message (10sec)
OK 7:10 Good Health Message (10sec)
OK 7:20 Good Health Message (10sec)
OK 7:30 Good Health Message (10sec)
OK 7:40 Good Health Message (10sec)
OK 7:50 Good Health Message (10sec)
OK 8:00 Good Health Message (10sec)
OK 8:10 Good Health Message (10sec)
OK 8:20 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to Idle bailout

```
OK      0:00  Reset Reason: Power On
Info    0:00  Bank 2 Loaded
Info    0:00  Motor Switch operated to Idle bailout
Warn    0:02  Init Failed, retrying...
OK      0:12  Good Health Message (10sec)
----- end -----
```