

Tue Jul 20 09:30:43 CDT 2021

Serial: 20037101

Firmware: 6.3

Patchlevel: 63

---- start ----

Info 0:00 Raised Vibration Level
Info 0:09 Raised Vibration Level
Info 0:19 Raised Vibration Level
Info 0:28 Raised Vibration Level
Info 0:37 Raised Vibration Level
Info 0:46 Raised Vibration Level
Info 0:55 Raised Vibration Level
Info 1:04 Raised Vibration Level
Info 1:14 Raised Vibration Level
Info 1:23 Raised Vibration Level
Info 1:32 Raised Vibration Level
Info 1:41 Raised Vibration Level
Info 1:50 Raised Vibration Level
Warn 2:00 High Vibration Level
Info 2:09 Raised Vibration Level
Info 2:12 Governor Mode Stop
Info 2:12 Motor Switch operated to Idle bailout
Info 2:15 Governor OFF
Info 2:15 Motor Switch operated to OFF
Critical 2:18 Extreme Vibration Level
OK 2:28 Good Health Message (10sec)
Info 2:36 Bank 1 Loaded
Info 2:38 Bank 2 Loaded
Info 2:42 Bank 1 Loaded
OK 2:52 Good Health Message (10sec)
OK 3:02 Good Health Message (10sec)
Info 3:10 Governor Mode Pitch
Info 3:10 Motor Switch operated to Idle bailout
Info 3:10 Motor Switch operated to ON
Info 3:13 Bank 2 Loaded
OK 3:23 Good Health Message (10sec)
Info 3:31 Raised Vibration Level
Info 3:41 Raised Vibration Level
Info 3:50 Raised Vibration Level
Warn 3:59 High Vibration Level
Warn 4:08 High Vibration Level
Info 4:14 Governor Mode Stop
Info 4:14 Motor Switch operated to Idle bailout
Info 4:15 Governor OFF
Info 4:15 Motor Switch operated to OFF
Warn 4:17 High Vibration Level
OK 4:27 Good Health Message (10sec)
OK 4:37 Good Health Message (10sec)
Info 4:41 Governor Mode Pitch

Info 4:41 Motor Switch operated to Idle bailout
Info 4:41 Motor Switch operated to ON
Info 4:46 Governor Sensor no Signal
Info 4:47 Governor Sensor no Signal
OK 4:57 Good Health Message (10sec)
Warn 5:03 High Vibration Level
Warn 5:12 High Vibration Level
Info 5:22 Raised Vibration Level
Info 5:29 Governor OFF
Info 5:29 Governor Mode Stop
Info 5:29 Motor Switch operated to OFF
Info 5:29 Motor Switch operated to Idle bailout
Critical 5:31 Extreme Vibration Level
OK 5:41 Good Health Message (10sec)
Info 5:48 Governor Mode Pitch
Info 5:48 Motor Switch operated to ON
Info 5:53 Governor Sensor no Signal
Info 5:54 Governor Sensor no Signal
Info 5:55 Governor Sensor no Signal
OK 6:05 Good Health Message (10sec)
Info 6:07 Raised Vibration Level
Info 6:17 Raised Vibration Level
Info 6:26 Raised Vibration Level
Info 6:33 Governor Mode Stop
Info 6:33 Motor Switch operated to Idle bailout
Info 6:34 Governor OFF
Info 6:34 Motor Switch operated to OFF
Critical 6:35 Extreme Vibration Level
OK 6:45 Good Health Message (10sec)
OK 6:55 Good Health Message (10sec)
OK 7:05 Good Health Message (10sec)
Info 7:12 Raised Vibration Level
OK 7:22 Good Health Message (10sec)
OK 7:32 Good Health Message (10sec)
OK 7:42 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to Idle bailout

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to OFF

Info 0:00 Motor Switch operated to Idle bailout
Info 0:01 Bank 1 Loaded

Info 0:05 Calibration Finished
OK 0:15 Good Health Message (10sec)
OK 0:25 Good Health Message (10sec)
OK 0:35 Good Health Message (10sec)
OK 0:45 Good Health Message (10sec)
OK 0:55 Good Health Message (10sec)
OK 1:05 Good Health Message (10sec)
OK 1:15 Good Health Message (10sec)
OK 1:25 Good Health Message (10sec)
OK 1:35 Good Health Message (10sec)
OK 1:45 Good Health Message (10sec)
OK 1:55 Good Health Message (10sec)
Info 1:56 Motor Switch operated to Idle bailout
OK 2:06 Good Health Message (10sec)
Info 2:14 Governor Mode Pitch
Info 2:14 Motor Switch operated to ON
Info 2:19 Governor Sensor no Signal
-----2:19 Governor Sensor Signal Failure
Info 2:20 Governor Sensor no Signal
Info 2:21 Governor Sensor no Signal
Warn 2:28 Governor Full Throttle
Critical 2:32 Extreme Vibration Level
Warn 2:41 High Vibration Level
Info 2:47 Bank 2 Loaded
Warn 2:50 High Vibration Level
Info 2:56 Bank 3 Loaded
Info 2:59 Raised Vibration Level
Info 3:09 Raised Vibration Level
Info 3:18 Raised Vibration Level
Info 3:24 Bank 1 Loaded
Info 3:24 Bank 2 Loaded
Warn 3:27 High Vibration Level
Warn 3:36 High Vibration Level
Info 3:36 Governor OFF
Info 3:36 Governor Mode Stop
Info 3:36 Motor Switch operated to OFF
Info 3:36 Motor Switch operated to Idle bailout
OK 3:46 Good Health Message (10sec)
OK 3:56 Good Health Message (10sec)
OK 4:06 Good Health Message (10sec)
OK 4:16 Good Health Message (10sec)
OK 4:26 Good Health Message (10sec)
OK 4:36 Good Health Message (10sec)
OK 4:46 Good Health Message (10sec)
Info 4:52 Governor Mode Pitch
Info 4:52 Motor Switch operated to Idle bailout
Info 4:52 Motor Switch operated to ON
Info 4:57 Governor Sensor no Signal
-----4:57 Governor Sensor Signal Failure
Info 4:58 Governor Sensor no Signal

OK 5:08 Good Health Message (10sec)
Critical 5:17 Extreme Vibration Level
Info 5:18 Bank 2 Loaded
Info 5:26 Raised Vibration Level
Critical 5:36 Extreme Vibration Level
Info 5:45 Raised Vibration Level
Info 5:54 Raised Vibration Level
Info 6:00 Bank 3 Loaded
Info 6:03 Raised Vibration Level
Info 6:06 Bank 2 Loaded
Info 6:12 Raised Vibration Level
Info 6:21 Raised Vibration Level
Info 6:31 Raised Vibration Level
Info 6:40 Raised Vibration Level
Info 6:49 Raised Vibration Level
Info 6:50 Bank 1 Loaded
Warn 6:58 High Vibration Level
Warn 7:07 High Vibration Level
Info 7:15 Governor Mode Stop
Info 7:15 Motor Switch operated to Idle bailout
Info 7:17 Raised Vibration Level
Info 7:17 Governor OFF
Info 7:17 Motor Switch operated to OFF
Info 7:26 Raised Vibration Level
OK 7:36 Good Health Message (10sec)
OK 7:46 Good Health Message (10sec)
OK 7:56 Good Health Message (10sec)
OK 8:06 Good Health Message (10sec)
OK 8:16 Good Health Message (10sec)
OK 8:26 Good Health Message (10sec)
OK 8:36 Good Health Message (10sec)
OK 8:46 Good Health Message (10sec)
OK 8:56 Good Health Message (10sec)
OK 9:06 Good Health Message (10sec)
OK 9:16 Good Health Message (10sec)
OK 9:26 Good Health Message (10sec)
OK 9:36 Good Health Message (10sec)
OK 9:46 Good Health Message (10sec)
OK 9:56 Good Health Message (10sec)
Info 9:59 Motor Switch operated to Idle bailout
Info 10:03 Governor Mode Pitch
Info 10:03 Motor Switch operated to ON
Info 10:08 Governor Sensor no Signal
Info 10:09 Governor Sensor no Signal
OK 10:19 Good Health Message (10sec)
Info 10:20 Raised Vibration Level
Warn 10:29 High Vibration Level
Info 10:36 Bank 2 Loaded
Warn 10:39 High Vibration Level
Info 10:48 Raised Vibration Level

Info 10:57 Raised Vibration Level
Info 10:59 Bank 3 Loaded
Info 11:06 Raised Vibration Level
Info 11:15 Raised Vibration Level
Info 11:24 Raised Vibration Level
Info 11:34 Raised Vibration Level
Info 11:43 Raised Vibration Level
Critical 11:52 Extreme Vibration Level
Info 12:01 Raised Vibration Level
Info 12:04 Bank 1 Loaded
Info 12:04 Bank 2 Loaded
Info 12:10 Raised Vibration Level
Info 12:13 Governor OFF
Info 12:13 Governor Mode Stop
Info 12:13 Motor Switch operated to OFF
Info 12:13 Motor Switch operated to Idle bailout
Warn 12:20 High Vibration Level
OK 12:30 Good Health Message (10sec)
OK 12:40 Good Health Message (10sec)
OK 12:50 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to Idle bailout
Info 0:01 Bank 1 Loaded
Info 0:01 Motor Switch operated to OFF
Info 0:05 Calibration Finished
OK 0:15 Good Health Message (10sec)
OK 0:25 Good Health Message (10sec)
OK 0:35 Good Health Message (10sec)
OK 0:45 Good Health Message (10sec)
OK 0:55 Good Health Message (10sec)
OK 1:05 Good Health Message (10sec)
OK 1:15 Good Health Message (10sec)
Info 1:19 Motor Switch operated to Idle bailout
Info 1:25 Governor Mode Pitch
Info 1:25 Motor Switch operated to ON
Info 1:31 Governor Sensor no Signal
Info 1:37 Raised Vibration Level
Info 1:46 Raised Vibration Level
Info 1:54 Bank 2 Loaded
Info 1:55 Raised Vibration Level
OK 2:05 Good Health Message (10sec)
Info 2:13 Raised Vibration Level
Info 2:23 Raised Vibration Level
Info 2:32 Raised Vibration Level
Info 2:41 Raised Vibration Level
Info 2:50 Raised Vibration Level

Info 2:59 Raised Vibration Level
Info 3:08 Raised Vibration Level
Info 3:18 Raised Vibration Level
Info 3:27 Raised Vibration Level
Info 3:36 Raised Vibration Level
Info 3:45 Raised Vibration Level
Info 3:54 Raised Vibration Level
Info 4:04 Raised Vibration Level
OK 4:14 Good Health Message (10sec)
Info 4:22 Raised Vibration Level
Info 4:22 Rescue has been activated
Info 4:23 Rescue has been completed
Warn 4:23 Rescue has been oversteered by the Pilot
Critical 4:27 Aileron Sensor Value out of Range
Info 4:27 Rescue has been activated

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to Idle bailout

OK 0:10 Good Health Message (10sec)

OK 0:20 Good Health Message (10sec)

OK 0:30 Good Health Message (10sec)

OK 0:40 Good Health Message (10sec)

OK 0:50 Good Health Message (10sec)

OK 1:00 Good Health Message (10sec)

OK 1:10 Good Health Message (10sec)

OK 1:20 Good Health Message (10sec)

OK 1:30 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to Idle bailout

Info 0:01 Bank 2 Loaded

Info 0:01 Motor Switch operated to OFF

Info 0:01 Motor Switch operated to Idle bailout

Info 0:02 Bank 1 Loaded

Info 0:07 Calibration Finished

OK 0:17 Good Health Message (10sec)

OK 0:27 Good Health Message (10sec)

OK 0:37 Good Health Message (10sec)

OK 0:00 Reset Reason: Power On

Info 0:00 Bank 2 Loaded

Info 0:00 Motor Switch operated to OFF

Info	0:00	Motor Switch operated to Idle bailout
Info	0:01	Bank 1 Loaded
Info	0:05	Calibration Finished
OK	0:15	Good Health Message (10sec)
OK	0:25	Good Health Message (10sec)
OK	0:35	Good Health Message (10sec)
OK	0:45	Good Health Message (10sec)
OK	0:55	Good Health Message (10sec)
OK	1:05	Good Health Message (10sec)
OK	1:15	Good Health Message (10sec)
OK	1:25	Good Health Message (10sec)
OK	1:35	Good Health Message (10sec)
OK	1:45	Good Health Message (10sec)
OK	1:55	Good Health Message (10sec)
OK	2:05	Good Health Message (10sec)
OK	2:15	Good Health Message (10sec)
OK	2:25	Good Health Message (10sec)
OK	2:35	Good Health Message (10sec)
Info	2:36	Bank 2 Loaded
Info	2:36	Motor Switch operated to Idle bailout
Info	2:37	Bank 1 Loaded
Info	2:37	Motor Switch operated to OFF
Info	2:41	Calibration Finished
OK	2:51	Good Health Message (10sec)
OK	3:01	Good Health Message (10sec)
OK	3:11	Good Health Message (10sec)
OK	3:21	Good Health Message (10sec)
OK	3:31	Good Health Message (10sec)
OK	3:41	Good Health Message (10sec)
OK	3:51	Good Health Message (10sec)
OK	4:01	Good Health Message (10sec)
OK	4:11	Good Health Message (10sec)
OK	4:21	Good Health Message (10sec)
OK	4:31	Good Health Message (10sec)
OK	4:41	Good Health Message (10sec)
OK	4:51	Good Health Message (10sec)
OK	5:01	Good Health Message (10sec)
OK	5:11	Good Health Message (10sec)
OK	5:21	Good Health Message (10sec)
OK	5:31	Good Health Message (10sec)
OK	5:41	Good Health Message (10sec)
OK	5:51	Good Health Message (10sec)
OK	6:01	Good Health Message (10sec)
OK	6:11	Good Health Message (10sec)
OK	6:21	Good Health Message (10sec)
OK	6:31	Good Health Message (10sec)
OK	6:41	Good Health Message (10sec)
OK	6:51	Good Health Message (10sec)
OK	7:01	Good Health Message (10sec)

```
OK      7:11  Good Health Message (10sec)
OK      7:21  Good Health Message (10sec)
OK      7:31  Good Health Message (10sec)
OK      7:41  Good Health Message (10sec)
OK      7:51  Good Health Message (10sec)
OK      8:01  Good Health Message (10sec)
OK      8:11  Good Health Message (10sec)
OK      8:21  Good Health Message (10sec)
OK      8:31  Good Health Message (10sec)
OK      8:41  Good Health Message (10sec)
OK      8:51  Good Health Message (10sec)

OK      0:00  Reset Reason: Power On

Info    0:00  Bank 2 Loaded

Info    0:00  Motor Switch operated to Idle bailout
OK      0:10  Good Health Message (10sec)
OK      0:20  Good Health Message (10sec)
OK      0:30  Good Health Message (10sec)
OK      0:40  Good Health Message (10sec)

OK      0:00  Reset Reason: Power On

Info    0:00  Bank 2 Loaded

Info    0:00  Motor Switch operated to Idle bailout
OK      0:10  Good Health Message (10sec)
---- end ----
```